Vol. 171 CARBOHYDRATE RESEARCH DECEMBER 31st, 1987

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents; Phys. Chem. Earth Sci., Life Sci.)

Foreword ix

Stereoselectivity in the electrophile-mediated cyclization of 2,3,5-tri-*O*-benzyl-1,2-dideoxy-D-*arabino*-hex-1-enitol. A stereocontrolled synthesis of 1-amino-2,5-anhydro-3,4,6-tri-*O*-benzyl-1-deoxy-D-glucitol
F. FREEMAN AND K. D. ROBARGE (Irvine, CA, U.S.A.) 1

Dichloromethylenation of 1,4-lactones. A new access to 1-deoxy-1-*C*-methyl-*C*-glycosyl compounds
A. BANDZOUZI AND V. CHAPLEUR (Nancy, France) 13

Stereoselective synthesis of *C*-glycosyl compounds *via* Michael addition of trimethylsilyl enol ethers and enamines to hex-1-enopyran-3-uloses
H. KUNZ, B. MÜLLER, AND J. WEISSMÜLLER (Mainz, F.R.G.) 25

Synthesis and "anomerization" of *C*-glycosyl compounds related to some heterocyclic natural products
K. M. SUN, R. D. DAWE, AND B. FRASER-REID (Durham, NC, U.S.A.) 35

Synthesis of *C*-glycosyl compounds by the Wittig iodocyclization procedure. Differences from mercuriocyclization
F. NICOTRA, L. PANZA, F. RONCHETTI, G. RUSSO, AND L. TOMA (Milano, Italy) . . 49

C-Glucosylarenes from *O*-α-D-glucosyl trichloroacetimidates. Structure of bergenin derivatives
R. R. SCHMIDT AND G. EFFENBERGER (Konstanz, F.R.G.) 59

A convenient synthesis of *C*-α-D-ribofuranosyl compounds from 1-*O*-acetyl-2,3,5-tri-*O*-benzyl-β-D-ribose by the promotion of triphenylmethyl perchlorate
T. MUKAIYAMA AND S. KOBAYASHI (Tokyo, Japan) 81

Palladium(0)-assisted synthesis of *C*-glycopyranosyl compounds
L. V. DUNKERTON, J. M. EUSKE, AND A. J. SERINO (Carbondale, IL, U.S.A.) . . . 89

Organometallics in organic synthesis. Applications of a new diorganozinc reaction to the synthesis of *C*-glycosyl compounds with evidence for an oxonium-ion mechanism
A. P. KOZIKOWSKI, T. KONOIKE, AND A. RITTER (Pittsburgh, PA, U.S.A.) 109

Highly stereoselective *C*-α-D-ribofuranosylation. Reactions of D-ribofuranosyl fluoride derivatives with enol trimethylsilyl ethers and with allyltrimethylsilane
Y. ARAKI, N. KOBAYASHI, Y. ISHIDO (Tokyo, Japan), AND J. NAGASAWA (Ibaraki, Japan) 125

New approaches to synthetic receptors. Studies on the synthesis and properties of macrocyclic *C*-glycosyl compounds as chiral, water-soluble cyclophanes
C. S. WILCOX AND M. D. COWART (Austin, TX, U.S.A.) 141

Selective mono-Claisen rearrangement of carbohydrate glycals. A chemical consequence of the vinylogous anomeric effect
D. P. CURRAN AND Y.-G. SUH (Pittsburgh, PA, U.S.A.) 161

(Continued overleaf)

(contents continued)

Synthesis of *C*-glycosyl compounds from 3,4,6-tri-*O*-acetyl-1,5-anhydro-D-*arabino*-hex-1-enitol and allyltrimethylsilane and bis(trimethylsilyl) acetylene
Y. ICHIKAWA, M. ISOBE, M. KONOBE, AND T. GOTO (Nagoya, Japan) 193

Diastereoselektive Synthese von funktionalisierten *C*-α- und -β-Glykosylderivaten der 2-Acetamido-2-desoxy-D-glucose
A. GIANNIS UND K. SANDHOFF (Bonn, G.D.R.) 201

Intramolecular *C*-arylation of 2,3,5-tri-*O*-benzyl- and 2,3,5-tri-*O*-(3-methylbenzyl)-pentofuranose derivatives
O. R. MARTIN (Binghamton, NY, U.S.A.) 211

Stereoselective synthesis of 3-(D-glycopyranosyl)propenes by use of allylsilanes
A. HOSOMI, Y. SAKATA, AND H. SAKURAI (Sendai, Japan) 223

Enantioselective synthesis of new analogs of neplanocin A and their biological activity
M. ARITA, T. OKUMOTO, T. SAITO, Y. HOSHINO (Saitama, Japan), K. FUKUKAWA, S. SHUTO, M. TSUJINO, H. SAKAKIBARA (Shizuoka, Japan), AND M. OHNO (Tokyo, Japan) 233

Synthesis of *C*-arabinofuranosyl compounds. Phosphonate and carboxylate isosteres of D-arabinose 1,5-bis-phosphate
B. E. MARYANOFF, S. O. NORTEY, R. R. INNERS, S. A. CAMPBELL, A. B. REITZ (Spring House, PA, U.S.A.), AND D. LIOTTA (Atlanta, GA, U.S.A.) 259

Synthesis of (2-deoxy-α-D-glyc-2-enopyranosyl)arenes by stereospecific conjugate-addition of organocopper reagents to peracetylated hex-1-enopyran-3-uloses
V. BELLOSTA AND S. CZERNECKI (Paris, France) 279

Stereocontrolled preparation of C-2-deoxy-α- and -β-D-glucopyranosyl compounds from tributyl-(2-deoxy-α- and -β-D-glucopyranosyl)stannanes
P. LESIMPLE, J.-M. BEAU, AND P. SINAŸ (Orléans, France) 289

Ein neuer effizienter Weg zur Darstellung von Glycopyranosylcyaniden (2,6-Anhydroaldononitrilen) ohne Nachbargruppenbeteiligung. Reduktion von 2,6-Anhydro-1-desoxy-1-nitroalditolen mit Phosphortrichlorid
P. KÖLL UND A. FÖRTSCH (Oldenburg, B.R.D.) 301

A fully synthetic route to the papulacandins. Stereospecific spiroacetalization of a C-1-arylated methylglycoside
S. DANISHEFSKY, G. PHILLIPS, AND M. CIUFOLINI (New Haven, CT, U.S.A.) 317

Synthesis of *C*-pento, -hexo-, and -heptulo-pyranosyl compounds *via* radical C–C bond-formation reactions
B. GIESE, J. DUPUIS, M. LEISING, M. NIX, AND H. J. LINDNER (Darmstadt, F.R.G.) . 329

Note

Stereoselectivity in the formation of pentacarbonylglycosylmanganese complexes
P. DESHONG, G. A. SLOUGH, AND V. ELANGO (University Park, PA, U.S.A.) . . . 342

Author index c1

Subject index c3